Literaturliste: Delir & Delirprophylaxe

AWMF online (2020) DAS-Leitlinie. https://www.awmf.org/leitlinien/detail/ll/001-012.html.Zugegriffen:16.März2022

American Psychiatric Association (Hrsg) (2013) DSM-5: diagnostic and statistical manual ofmental disorders, 5. Aufl. American Psychiatric Publishing, Washington, D.C

Pandharipande PP, Girard TD, Jackson JC et al (2013) Long-term cognitive impairmentafter critical illness.N Engl JMed369:1306–1316

Cole MG, Bailey R, Bonnycastle M et al(2015) Partial and no recoveryfrom delirium in older hospitalized adults: frequency and baseline risk factors. J Am Geriatr Soc 63:2340–2348

Meagher DJ, Leonard M, Donnelly S, Conroy M, Adamis D, Trzepacz PT (2012) A longitudinal study of motor subtypes in delirium: frequency and stability during episodes. JPsychosom Res72:236–241

Jackson TA, Wilson D, Richardson S, Lord JM (2016) Predicting outcome in older hospital patients with delirium: a systematic literature review. Int J Geriatr Psychiatry31:392–399

Ouimet S, Riker R, Bergeron N et al (2007) Subsyndromal delirium in the ICU: evidencefor a disease spectrum. Intensive CareMed33:1007–1013

Cole M, McCusker J, Dendukuri N, Han L (2003) The prognostic significance of subsyndromal deliriuminelderlymedical inpatients. JAmGeriatrSoc51:754–760

Girard TD, Thompson JL, Pandharipande PP et al (2018) Clinical phenotypes of delirium during critical illness and severity of subsequent long-term cognitive impairment: a prospective cohort study. Lancet RespirMed6:213–222

Ely EW, Girard TD, Shintani AK et al (2007) Apolipoprotein E4 polymorphism as a genetic predisposition to delirium in critically ill patients. Crit Care Med 35:112–117

Duppils GS, Wikblad K (2007) Patients' experiences of being delirious. J Clin Nurs 16:810–818

Ely EW, Shintani A, Truman B et al (2004) Delirium as a predictor of mortality in mechanicallyventilated patients in the intensive care unit. JAMA291:1753–1762

Francis J, Kapoor WN (1992) Prognosis after hospital discharge of older medical patientswith delirium. JAmGeriatrSoc40:601–606

Luetz A, Weiss B, Boettcher S, Burmeister J, Wernecke K-D, Spies C (2016) Routine delirium monitoring is independently associated with a reduction of hospital mortalityincriticallyill surgicalpatients:aprospective,observationalcohort study. J Crit Care35:168–173

Slooter AJC, Otte WM, Devlin JW et al (2020) Updated nomenclature of delirium and acute encephalopathy: statement of ten societies. Intensive Care Med 46:1020–1022

Hermes, C., Ottens, T., Knitter, P. et al. Delir – Beurteilung, Vorbeugung und Behandlung. Med Klin Intensivmed Notfmed 117, 479–488 (2022). https://doi.org/10.1007/s00063-022-00943-3

van Lieshout C, SchuitE,Hermes C, KerriganM, FrederixGWJ(2022)Hospitalisation costs and health related quality of life in delirious patients; a scoping review. Z Evid Fortbild Qual Gesundhwes 169:28–38. https://doi.org/10.1016/j.zefq.2022. 02.001

Marra A, Vargas M, Buonanno P, Iacovazzo C, Kotfis K, Servillo G(2021) Haloperidol for preventing delirium in ICUpatients: a systematic review andmeta-analysis. Eur RevMedPharmacol Sci25:1582–1591
Mohammad B, Nydahl P, Borzikowsky C et al (2020) Protokoll einer Studie zur Qualitätsverbesserung des Delirmanagements auf der Intensivstation. Med Klin Intensivmed Notfmed 115:428–436. https://doi.org/10.1007/s00063-020- 00676-1

Hansen HC, Nydahl P, Wermann CF, Günther U (2021) Delir auf ICU & Stroke Unit: Bewährtes und Neues am Horizont im Review. DIVI 12:130–137. https://doi.org/10.3238/DIVI.2021.0130-0137

Rohaut B, Porcher R, Hissem T et al (2017) Brainstem response patterns in deeplysedated critically-ill patients predict28-daymortality.PLoSONE12:e176012

Ten Hoorn S, Elbers PW, Girbes AR, Tuinman PR (2016) Communicating with conscious and mechanically ventilated critically ill patients: a systematic review. Crit Care20:333

Luetz A, Balzer F, Radtke FM et al (2014) Delirium, sedation and analgesia in the intensive care unit: amultinational, two-part survey among Intensivists. PLoSOne 9:e110935

Spronk PE, Riekerk B, Hofhuis J, Rommes JH (2009) Occurrence of delirium is severely underestimated in the ICU during daily care. Intensive Care Med 35:1276–1280

Guenther U, Wolke M, Hansen H-C et al(2021) Bedeutung der Desorientierung bei der Delireinschätzung. Med Klin Intensivmed Notfmed. https://doi.org/10.1007/

s00063-021-00850-z

Chester JG, Harrington MB, Rudolph J (2012) Serial administration of a modified richmond agitation and sedation scale for delirium screening. J Hosp Med 7:450–453

Heymann A, Radtke F, Schiemann A et al (2010) Delayed treatment of delirium increasesmortality rate in intensive care unit patients. JIntMed Res38:1584–1595

Yürek F, Olbert M, Müller-Werdan U et al (2019) Wie können postoperativ ein Delir und eine neurokognitive Störung verhindert werden? [Perioperative Neurocognitive Disorders - Postoperative Prevention Strategies]. Anasthes Int Notfall Schmerzther54(11-12):669–683

Panitchote A, Tangvoraphonkchai K, Suebsoh N et al (2015) Under-recognition of delirium in older adults by nurses in the intensive care unit setting. Aging Clin Exp Res27:735–740
Vondeling AM, Knol W, Egberts TCG, Slooter AJC (2020) Anticholinergic drug exposure at intensive care unit admission affects the occurrence of delirium. A prospective cohort study. Eur JInternMed78:121–126

van der Kooi AW, ZaalIJ,KlijnFAetal(2015)DeliriumdetectionusingEEG:whatand how tomeasure. Chest147:94–101

Kimchi EY, Neelagiri A, Whitt W et al (2019) Clinical EEG slowing correlates with delirium severityand predicts poor clinicaloutcomes.Neurology93:e1260–71

HutSCA,Dijkstra-KerstenSMA,NumanTetal(2021)EEGand clinical assessmentin deliriumandacute encephalopathy.Psychiatry ClinNeurosci75:265–266

Wiegand TLT, Rémi J, Dimitriadis K (2022) Electroencephalography in delirium assessment: a scoping review. BMCNeurol22:86

Maschke M, Duning T, Hansen H-C, Kastrup O, Ransmayr G, Müller T LL 030 006 Delir und Verwirrtheitszustände inklusive Alkoholentzugsdelir – Deutsche Gesellschaft für Neurologie e. V. https://dgn.org/leitlinien/ll-030-006-delir-undverwirrtheitszustaende-inklusive-alkoholentzugsdelir/.

Liang S, Chau JPC, Lo SHS, Zhao J, Choi KC (2021) Effects of nonpharmacological delirium-prevention interventions on critically ill patients' clinical, psychological, and family outcomes: a systematic review and meta-analysis. Aust Crit Care 34:378–387

Hansen H, Nydahl P, Wermann C, Guenther U (2012) Delir auf ICU & Stroke Unit: Bewährtes undNeues amHorizontim Review.DIVI12:130–137

NydahlP,McWilliamsD,WeilerN etal(2022)Mobilization in the evening to prevent

delirium: a pilot randomized trial.Nurs Crit Care27(4):519–527.https://doi.org/10.1111/nicc.12638

Kraemer J, Nolte K, Zupanc L et al (2022) Structured delirium management in the hospital.Dtsch Arztebl Int119:188–194